


-2
BURN PATTERN

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION	USED ON MODEL	DRAWN BY: PERRITT	RB RED BARN MACHINE	
-2	2	304 F.B. .188 X 2.25 x 4.5	?	APPROVED	TITLE SLING ASSEM.	
				HEAT TREAT	DWG NO. 145G0007	
				FINISH SPEC	REV	
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	SCALE NTS	
				UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DATE 1-27-06	
					SHEET 1 of 1	

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



-6

BURN PATTERN

DRAWN BY: PERRITT		<div><div><div>RB</div></div><div>RED BARN MACHINE</div></div>	
APPROVED			
HEAT TREAT			
FINISH SPEC --			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		TITLE SLING ASSEM.	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1			
FRACTIONS ± 1/32 ANGLES ± 5°		DWG NO. 145G0007	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		REV	
SCALE NTS		DATE 1-27-06	SHEET 1 of 1

PART #	QTY	DESCRIPTION
-6	4	304 F.B. 1 x 3/16 x 2-3/4



-6
BURN PATTERN

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

NOT APPROVED FOR PRODUCTION

PART #	QTY	DESCRIPTION
-1	1	41L40 Ø5/8 x 3/4

USED ON MODEL
?

DRAWN BY: PERRITT
APPROVED
HEAT TREAT
FINISH SPEC BLACK OXIDE
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES Ø15 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING

RB RED BARN MACHINE	
TITLE	
DWG NO.	PART #
SCALE NTS	DATE 9-15-03 SHEET 1 of 1

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

USED ON MODEL ? 	DRAWN BY: PERRITT	<div>RB</div> RED BARN MACHINE	
	CHECKED		
	HEAT TREAT FINISH SPEC	TITLE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	FRACTIONS ± 1/32 ANGLES ±.5°	
	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	TITLE	
DWG NO. PART #		REV.	
SCALE NTS		DATE 9-15-03	SHEET 1 of 1